

## Index to Volume 35

### Authors and Titles

- Amores-Vergara, E., and Cartwright, P. M.—  
Effects of short periods of exposure to high temperature on the phenology and shoot apex development of wheat cv. Sonora 64 139
- Asher, C. J. See Murphy, H. E. 663
- Atkins, K. D. See McGuirk, B. J. 423
- Balnavae, D.—  
The influence of body weight at point of lay on the production responses of restricted-reared pullets 845
- Barbetti, M. J. See Wong, D. H. 675
- Bhatt, G. M., Ellison, F. W., and Marshall, D. R.—  
A case for unreplicated plots for multi-site yield testing in wheat 107
- Bird, P. R.—  
Prediction of components of steer carcasses using tritiated body water space, fat depth and fasted liveweight or carcass weight 435
- Black, J. L., and Kenney, P. A.—  
Factors affecting diet selection by sheep. II. Height and density of pasture 565
- Black, J. L. See also Kenney, P. A. 551, 831, 839
- Blacklow, W. M. See Gill, G. S. 1
- Blaney, B. J., Moore, C. J., and Tyler, A. L.—  
Mycotoxins and fungal damage in maize harvested during 1982 in Far North Queensland 463
- Bowles, J. E. See Langlands, J. P. 701
- Brockwell, J. See Herridge, D. F. 149
- Brown, A. H. D. See Collins, W. J. 399
- Brown, J. F. See Goulter, K. C. 99
- Brown, P. H. See Silsbury, J. H. 539
- Cameron, D. F. See Davis, R. D. 653; Irwin, J. A. G. 473
- Campbell, D. G. See Culvenor, C. C. J. 293
- Carnahan, J. A. See Martin, R. J. 271
- Cartwright, P. M. See Amores-Vergara, E. 139
- Chalk, P. M. See Hopmans, P. 9
- Clare, B. G. See Mayfield, A. H. 789, 799
- Coates, D. B. See Foale, M. A. 229
- Colebrook, W. F. See Kenney, P. A. 831
- Collins, W. J., Rossiter, R. C., Haynes, Yvonne, Brown, A. H. D., and Marshall, D. R.—  
Identification of subterranean clover cultivars and their genetic relationships by isozyme analysis 399
- Cornish, P. S., McWilliam, J. R., and So, H. B.—  
Root morphology, water uptake, growth and survival of seedlings of ryegrass and phalaris 479
- Cornish, P. S., So, H. B., and McWilliam, J. R.—  
Effects of soil bulk density and water regimen on root growth and uptake of phosphorus by ryegrass 631
- Corrigendum See Goulter, K. C. 849
- Crofts, H. J., Gardner, W. K., and Velthuis, R. G.—  
A phenological evaluation of wheat for south-western Victoria 521
- Culvenor, C. C. J., Jago, M. V., Peterson, J. E., Smith, L. W., Payne, A. L., Campbell, D. G., Edgar, J. A., and Frahn, J. L.—  
Toxicity of *Echium plantagineum* (Paterson's Curse). I. Marginal toxic effects in Merino wethers from long-term feeding 293
- Davies, W. J. See Hannam, R. J. 529
- Davis, R. D., Irwin, J. A. G., and Cameron, D. F.—  
Variation in virulence and pathogenic specialization of *Colletotrichum gloeosporioides* isolates from *Stylosanthes scabra* cvv. Fitzroy and Seca 653
- Dawson, I. A., and Wardlaw, I. F.—  
The influence of nutrition on the response of wheat to above-optimal temperature 129
- Denmead, O. T. See Simpson, J. R. 189
- Dolling, C. H. S. See Kleemann, D. O. 579
- Donald, G. E. See Langlands, J. P. 701
- Done, A. A., Myers, R. J. K., and Foale, M. A.—  
Responses of grain sorghum to varying irrigation frequency in the Ord Irrigation Area. I. Growth, development and yield 17
- Done, A. A. See also Myers, R. J. K. 31, 43

- Donnelly, J. R.—  
The productivity of breeding ewes grazing on lucerne or grass and clover pastures on the tablelands of southern Australia. III. Lamb mortality and weaning percentage 709
- Douglas, L. A. See Hopmans, P. 9
- Downes, R. W., and Gladstones, J. S.—  
Physiology of growth and seed set production in *Lupinus angustifolius* L. I. Effects on pod and seed set of controlled short duration high temperatures at flowering 493  
II. Effect of temperature before and after flowering 501  
III. Effects of defoliation and lateral branch excision on dry matter and seed production at different growth temperatures 511
- Doyle, P. T. See Egan, J. K. 279
- Duffus, J. E. See Johnstone, G. R. 821
- Dunstone, R. L., Tonnet, M. L., Wardlaw, I. F., and Shani, A.—  
Effect of temperature on seed development in jojoba (*Simmondsia chinensis* (Link) Schneider). II. Wax content and composition 693
- Dunstone, R. L. See also Wardlaw, I. F. 685
- Edgar, J. A. See Culvenor, C. C. J. 293
- Edwards, D. G. See Murphy, H. E. 663
- Egan, J. K., and Doyle, P. T.—  
A comparison of particulate markers for the estimation of digesta flow from the abomasum of sheep offered chopped oaten hay 279
- Ellison, F. W. See Bhatt, G. M. 107;  
Marshall, D. R. 619
- Foale, M. A., Wilson, G. L., Coates, D. B., and Haydock, K. P.—  
Growth and productivity of irrigated *Sorghum bicolor* (L. Moench) in northern Australia. II. Low solar altitude as a possible seasonal constraint to productivity in the tropical dry season 229
- Foale, M. A. See also Done, A. A. 17;  
Myers, R. J. K. 31, 43
- Forcella, F.—  
A species-area curve for buried viable seeds 645
- Frahn, J. L. See Culvenor, C. C. J. 293
- French, R. J., and Schultz, J. E.—  
Water use efficiency of wheat in a Mediterranean-type environment.  
I. The relation between yield, water use and climate 743  
II. Some limitations to efficiency 765
- Freney, J. R. See Simpson, J. R. 189;  
Spencer, K. 163
- Gardner, W. K. See Crofts, H. J. 521
- Gartrell, J. W. See Robson, A. D. 347
- Gilbert, M. A., and Robson, A. D.—  
Studies on competition for sulfur between subterranean clover and annual ryegrass.  
I. Effect of nitrogen and sulfur supply 53  
II. Interrelation of nitrogen supply and soil temperature 65  
III. Effect of plant density and nitrogen supply 75
- Sulfur nutrition of temperate pasture species.  
I. Effects of nitrogen supply on the external and internal sulfur requirements of subterranean clover and ryegrass 379  
II. A comparison of subterranean clover cultivars, medics and grasses 389
- Gill, G. S., and Blacklow, W. M.—  
Effect of great brome (*Bromus diandrus* Roth.) on the growth of wheat and great brome and their uptake of nitrogen and phosphorus 1
- Gladstones, J. S. See Downes, R. W. 493, 501, 511
- Goulter, K. C., Kochman, J. K., and Brown, J. F.—  
Investigations into the increased rust (*Puccinia helianthi*) intensity of some hybrid sunflower cultivars grown in Queensland 99; Corrigendum 849
- Graham, R. D. See Hannam, R. J. 529
- Groves, R. H. See Williams, J. D. 453
- Halloran, G. M. See Noble, C. L. 239
- Hannam, R. J., Davies, W. J., Graham, R. D., and Riggs, J. L.—  
The effect of soil- and foliar-applied manganese in preventing the onset of manganese deficiency in *Lupinus angustifolius* 529
- Haydock, K. P. See Foale, M. A. 229
- Haynes, Yvonne See Collins, W. J. 399
- Hearnshaw, H., and Morris, C. A.—  
Genetic and environmental effects on a temperament score in beef cattle 723

- Hegarty, M. P. See Jones, R. J. 317
- Herridge, D. F., Roughley, R. J., and Brockwell, J.—  
Effect of rhizobia and soil nitrate on the establishment and functioning of the soybean symbiosis in the field 149
- Hirst, D. J. See Holyroyd, R. G. 595
- Hofman, P. J., and Menary, R. C.—  
Losses, by leaching, of alkaloids from the capsule of the poppy (*Papaver somniferum* L.) during maturation 253  
Fungal and enzymic degradation of alkaloids from the capsule of the poppy (*Papaver somniferum* L.) 263
- Holyroyd, R. G., Hirst, D. J., Merrifield, A. W., and Toleman, M. A.—  
The effect of spraying for buffalo fly (*Haematobia irritans exigua*) on infestations, growth rate and lesion development on *Bos indicus* × *B. taurus* cattle in the dry tropics of North Queensland 595
- Hopmans, P., Douglas, L. A., and Chalk, P. M.—  
Effects of soil salinity and mineral nitrogen on the acetylene reduction activity of *Trifolium subterraneum* L. 9
- Humphreys, L. R. See Ison, R. L. 219
- Irwin, J. A. G., Cameron, D. F., and Ratcliff, D.—  
Influence of environmental factors on the development of the anthracnose diseases of *Stylosanthes* spp. 473
- Irwin, J. A. G. See also Davis, R. D. 653
- Ison, R. L., and Humphreys, L. R.—  
Flowering of *Stylosanthes guianensis* in controlled temperatures under natural photoperiod 219
- Jago, M. V. See Culvenor, C. C. J. 293; Peterson, J. E. 305
- James, P. J., Warren, G. H., and Neville, Angela—  
The effect of some fleece characters on the skin wax layer and fleece rot development in Merino sheep following wetting 413
- Johnstone, G. R., and Duffus, J. E.—  
Some luteovirus diseases in Tasmania caused by beet western yellows and subterranean clover red leaf viruses 821
- Jones, M. B. See Spencer, K. 163
- Jones, R. J., and Hegarty, M. P.—  
The effect of different proportions of *Leucaena leucocephala* in the diet of cattle on growth, feed intake, thyroid function and urinary excretion of 3-hydroxy-4(1H)-pyridone 317
- Kenney, P. A., and Black, J. L.—  
Factors affecting diet selection by sheep.  
I. Potential intake rate and acceptability of feed 551  
IV. Level of feeding 839
- Kenney, P. A. See also Black, J. L. 565
- Kenney, P. A., Black, J. L., and Colebrook, W. F.—  
Factors affecting diet selection by sheep.  
III. Dry matter content and particle length of forage 831
- King, R. W.—  
Water uptake in relation to pre-harvest sprouting damage in wheat: grain characteristics 337
- King, R. W., and Richards, R. A.—  
Water uptake in relation to pre-harvest sprouting damage in wheat: ear characteristics 327
- Kleemann, D. O., Dolling, C. H. S., and Ponzone, R. W.—  
Effect of breed of dam, type of birth and sex of lamb on efficiency of conversion of food to lamb and wool in Merino, Poll Dorset × Merino and Border Leicester × Merino ewes 579
- Kochman, J. K. See Goulter, K. C. 99
- Langlands, J. P., Bowles, J. E., Donald, G. E., and Smith, A. J.—  
Deposition of copper, manganese, selenium and zinc in Merino sheep 701
- Lee, J. A., and Pearce, G. R.—  
The effectiveness of chewing during eating on particle size reduction of roughages by cattle 609
- Lenné, Jillian M. See Miles, J. W. 211
- Leuning, R. See Simpson, J. R. 189
- Loneragan, J. F. See Robson, A. D. 347
- McGuirk, B. J., and Atkins, K. D.—  
Fleece rot in Merino sheep. I. The heritability of fleece rot in unselected flocks of medium-wool Peppin Merinos 423
- McIvor, J. G.—  
Leaf growth and senescence in *Urochloa mosambicensis* and *U. obligotricha* in a seasonally dry tropical environment 177

- McKeon, G. M.—  
Field changes in germination requirements:  
effect of natural rainfall on potential  
germination speed and light requirement of  
*Stylosanthes humilis*, *Stylosanthes hamata*  
and *Digitaria ciliaris* 807
- McLachlan, K. D.—  
Effects of drought, aging and phosphorus  
status on leaf acid phosphatase activity in  
wheat 777
- McWilliam, J. R. See Cornish, P. S. 479,  
631
- Mares, D. J.—  
Temperature dependence of germinability of  
wheat (*Triticum aestivum* L.) grain in  
relation to pre-harvest sprouting 115
- Mares, D. J. See also Marshall, D. R. 619
- Marshall, D. R., Ellison, F. W., and Mares,  
D. J.—  
Effects of grain shape and size on milling  
yields in wheat. I. Theoretical analysis  
based on simple geometric models 619
- Marshall, D. R. See also Bhatt, G. M. 107;  
Collins, W. J. 399
- Martin, R. J., and Carnahan, J. A.—  
Factors affecting growth and reproduction of  
Noogoora burr (*Xanthium occidentale*  
Bertol.) 271
- Mayfield, A. H., and Clare, B. G.—  
Survival over summer of *Rhynchosporium*  
*secalis* in host debris in the field 789  
Effects of common stubble treatments and  
sowing sequences on scald disease  
(*Rhynchosporium secalis*) in barley  
crops 799
- Menary, R. C. See Hofman, P. J. 253, 263
- Merrifield, A. W. See Holyroyd, R. G. 595
- Miles, J. W., and Lenné, Jillian M.—  
Genetic variation within a natural  
*Stylosanthes guianensis*, *Colletotrichum*  
*gloeosporioides* host-pathogen  
population 211
- Moore, C. J. See Blaney, B. J. 463
- Morris, C. A. See Hearnshaw, H. 723
- Muirhead, W. A. See Simpson, J. R. 189
- Muldoon, D. K., Wheeler, J. L., and Pearson,  
C. J.—  
Growth, mineral composition and digestibility  
of maize, sorghum and barnyard millets at  
different temperatures 367
- Mundy, G. N.—  
Effects of potassium and sodium application  
to soil on growth and cation accumulation  
of herbage 85
- Murphy, H. E., Edwards, D. G., and Asher,  
C. J.—  
Effects of aluminium on nodulation and early  
growth of four tropical pasture  
legumes 663
- Myers, R. J. K., Foale, M. A., and Done,  
A. A.—  
Responses of grain sorghum to varying  
irrigation frequency in the Ord Irrigation  
Area.  
II. Evapotranspiration, water use efficiency  
and root distribution of different  
cultivars 31  
III. Water relations 43
- Myers, R. J. K. See also Done, A. A. 17
- Neville, Angela See James, P. J. 413
- Nicholls, A. O. See Williams, J. D. 453
- Noble, C. L., Halloran, G. M., and West,  
D. W.—  
Identification and selection for salt tolerance  
in lucerne (*Medicago sativa* L.) 239
- O'Brien, L., and Ronalds, J. A.—  
Yield and quality interrelationships amongst  
random F<sub>2</sub> lines and their implications for  
wheat breeding 443
- Payne, A. L. See Culvenor, C. C. J. 293
- Pearce, G. R. See Lee, J. A. 609
- Pearson, C. J. See Muldoon, D. K. 367
- Peterson, J. E., and Jago, M. V.—  
Toxicity of *Echium plantagineum* (Paterson's  
Curse). II. Pyrrolizidine alkaloid poisoning  
in rats 305
- Peterson, J. E. See Culvenor, C. C. J. 293
- Ponzoni, R. W. See Kleemann, D. O. 579
- Ratcliff, D. See Irwin, J. A. G. 473
- Richards, R. A. See King, R. W. 327
- Riggs, J. L. See Hannam, R. J. 529
- Robson, A. D., Loneragan, J. F., Gartrell,  
J. W., and Snowball, K.—  
Diagnosis of copper deficiency in wheat by  
plant analysis 347
- Robson, A. D. See also Gilbert, M. A. 53,  
65, 75, 379, 389; Snowball, K. 359;  
Wood, M. J. 735
- Ronalds, J. A. See O'Brien, L. 443
- Rositer, R. C. See Collins, W. J. 399
- Roughley, R. J. See Herridge, D. F. 149
- Schultz, J. E. See French, R. J. 743, 765
- Shani, A. See Dunstone, R. L. 693

- Silsbury, J. H., Zuill, D., and Brown, P. H.—  
Effects of temperature on germination,  
emergence and early seedling growth of  
swards of Mt Barker subterranean clover  
plants grown with and without  
nitrate 539
- Simpson, J. R., Freney, J. R., Wetselaar, R.,  
Muirhead, W. A., Leuning, R., and  
Denmead, O. T.—  
Transformations and losses of urea nitrogen  
after application to flooded rice 189
- Sivasithamparam, K. See Wong, D. H. 675
- Smith, A. J. See Langlands, J. P. 701
- Smith, L. W. See Culvenor, C. C. J. 293
- Snowball, K., and Robson, A. D.—  
Comparison of the internal and external  
requirements of wheat, oats and barley for  
copper 359
- Snowball, K. See also Robson, A. D. 347
- So, H. B. See Cornish, P. S. 479, 631
- Spencer, K., Freney, J. R., and Jones,  
M. B.—  
A preliminary testing of plant analysis  
procedures for the assessment of the sulfur  
status of oilseed rape 163
- Taylor, G. B.—  
Effect of burial on the softening of hard seeds  
of subterranean clover 201
- Toleman, M. A. See Holyroyd, R. G. 595
- Tonnet, M. L. See Dunstone, R. L. 693
- Tyler, A. L. See Blaney, B. J. 463
- Velthuis, R. G. See Crofts, H. J. 521
- Wardlaw, I. F., and Dunstone, R. L.—  
Effect of temperature on seed development in  
jojoba (*Simmondsia chinensis* (Link)  
Schneider). I. Dry matter changes 685
- Wardlaw, I. F. See also Dawson, I. A. 129;  
Dunstone, R. L. 693
- Warren, G. H. See James, P. J. 413
- Weiss, P. W. See Williams, J. D. 453
- West, D. W. See Noble, C. L. 239
- Wetselaar, R. See Simpson, J. R. 189
- Wheeler, J. L. See Muldoon, D. K. 367
- Williams, J. D., Groves, R. H., Weiss, P. W.,  
and Nicholls, A. O.—  
Competition between wheat and two *Emex*  
species 453
- Wilson, G. L. See Foale, M. A. 229
- Wong, D. H., Barbetti, M. J., and  
Sivasithamparam, K.—  
Effects of soil temperature and moisture on  
the pathogenicity of fungi associated with  
root rot of subterranean clover 675
- Wood, M. J., and Robson, A. D.—  
Effect of copper deficiency in wheat on the  
infection of roots by *Gaeumannomyces*  
*graminis* var. *tritici* 735
- Zuill, D. See Silsbury, J. H. 539